# BANDTECH
Filter media roll

EN Data sheet

QUALI FILTRES
SIEBEC Group



## Material
Viscose

## DESCRIPTION

Composed of 90% natural fibers (cellulose), with chemical binding.

Good value for money.

⚠ Fragile when wet, its use is limited to filters with “flat” technology.

## BAND FILTER COMPATIBILITY

## ORDER REFERENCE

*Example :*

QBAND -VP - A: 25 - B: 500 - C: 100

## A / Weight

| Code | Weight | Thickness | Air Permeability | Nominal rating |
|---|---|---|---|---|
| 25 | 25 gm/m² | 0,19 mm | 4900 l/(m²·s) | 50 µm |
| 35 | 35 gm/m² | 0,24 mm | 3900 l/(m²·s) | 40 µm |
| 50 | 50 gm/m² | 0,29 mm | 2700 l/(m²·s) | 30 µm |
| 65 | 65 gm/m² | 0,39 mm | 2300 l/(m²·s) | 20 µm |

## B / Width of web

| Code | Width |
|---|---|
| 500 | 500 mm |
| 700 | 700 mm |
| 1000 | 1000 mm |

*Other widths available upon request*

## C / Length

| Code | Length |
|---|---|
| 100 | 100 m |

*Other lengths available upon request*


QUALI-FILTRES SAS
contact@quali-filtres.com

SIEBEC Ltd
sales@siebec.co.uk

SIEBEC S.L.
ventas@siebec.com

SIEBEC SRL
commerciale@siebec.com

SIEBEC GmbH
info@siebec.de

SIEBEC LDA
info.pt@siebec.com


We are here to help.
**Contact-us!**

# BANDTECH
Filter media roll

EN Data sheet

QUALI FILTRES
SIEBEC Group

## How to choose the right filter paper for your industrial process?





QUALI-FILTRES SAS
contact@quali-filtres.com

SIEBEC Ltd
sales@siebec.co.uk

SIEBEC S.L.
ventas@siebec.com

SIEBEC SRL
commerciale@siebec.com

SIEBEC GmbH
info@siebec.de

SIEBEC LDA
info.pt@siebec.com


We are here to help.
**Contact-us!**

QUALI FILTRES SIEBEC Group